

## Raccords tournants, Suttner

## Raccord tournant, ST-311



1/4" F : 3/8" F. Inox. Raccord tournant avec roulement radial.  
Max. 350 bar / 90 °C

R+M Nr.	
200 311 050	58 mm



Kit de réparation

R+M Nr.
200 300 100



1/4" F : M22 M. Inox. Raccord tournant avec roulement radial.  
Max. 350 bar / 90 °C

R+M Nr.	
200 311 060	58 mm



Kit de réparation

R+M Nr.
200 300 100

## Raccord tournant, ST-340



1/2" M : 1/2" F. Inox.  
Max. 350 bar / 90 °C

R+M Nr.	
200 340 010	52 mm



Kit de réparation

R+M Nr.
200 340 100



1/4" F : 1/2" F. Inox.  
Max. 350 bar / 90 °C

R+M Nr.	
200 340 050	73 mm



Kit de réparation

R+M Nr.
200 340 100



1/2" M : 1/2" F. Laiton.  
Max. 250 bar / 90 °C

R+M Nr.	
200 340 510	52 mm



Kit de réparation

R+M Nr.
200 340 150



1/4" F : 1/2" F. Laiton.  
Max. 250 bar / 90 °C

R+M Nr.	
200 340 520	73 mm



Kit de réparation

R+M Nr.
200 340 100

## Raccord tournant, ST-351



1/2" M : 1/2" F.  
Max. 600 bar

R+M Nr.	
200 351 510	72 mm



Kit de réparation ST-351

R+M Nr.
200 351 400

## Raccord tournant, ST-350



3/8" M : 3/8" F. Inox.  
Max. 500 bar / 90 °C

R+M Nr.	
200 350 010	45 mm



Kit de réparation

R+M Nr.
200 300 120

## Raccords tournants, ST-345



1/4" F : 1/4" M. 350 bar. Inox

R+M Nr.
200 345 500



1/4" F : 1/4" M. 350 bar. Inox. Bleu easywash365+

R+M Nr.
200 345 510



1/4" F : 1/4" M. 350 bar. Inox. RAL 5005

R+M Nr.
200 345 520



1/4" F : 1/4" M. 350 bar. Inox

R+M Nr.
200 345 530