

High pressure hoses for self-service washing bays

Hoses with single wire braid and wrapped cover. 1SN. Nominal diameter 6. Max. 210 bar /150 °C

1/4" : 1/4"



Female thread (DKR)

R+M Nr.	↔	length
331 152 803 5		3.5 m
331 152 804 2		4.2 m
331 152 805		5.0 m

3/8" : 3/8"



Female thread (DKR)

R+M Nr.	↔	length
331 154 803 5		3.5 m
331 154 804 2		4.2 m
331 154 805		5.0 m

1/4" : 1/4"



Female thread (DKR)

R+M Nr.	↔	length
331 152 603 5		3.5 m
331 152 604		4.0 m
331 152 604 2		4.2 m
331 152 605 5		5.5 m

M14 : M14



Female thread (DKOL) VA

R+M Nr.	↔	length
331 172 803 59		3.5 m
331 172 804 29		4.2 m
331 172 804 79		4.7 m

M14 : M14



Female thread (DKOL)

R+M Nr.	↔	length
331 172 803 5		3.5 m
331 172 804		4.0 m
331 172 805		5.0 m

M22 : 10  swivel



QSC - swivel disc plug

R+M Nr.	↔	length
330 117 303 5		3.5 m
330 117 304		4.0 m
330 117 304 2		4.2 m
330 117 310		10.0 m



QSC - swivel disc plug

R+M Nr.	↔	length
331 117 303 5		3.5 m
331 117 304		4.0 m
331 117 304 2		4.2 m
331 117 305		5.0 m
331 117 310		10.0 m

Further high pressure hoses suitable for self-service washing bays are available on request.

Symbols  length