

Food high pressure hoses per metre

- » Food hose according to (EG) 1935/2004, (EU) 10/2011 and (EG) 2023/2006 » Increased 1-layer rot-proof textile mesh
- » Suitable for: water and water mixes of usual cleaning detergents
- » Especially designed for industrial foam cleaning applications
- » Threefold coated PVC hose with a flush surface



PUREClean365+® 40 / PUREClean365+® 100



Field of application: foam hose and pre-spraying hose for the food industry.
Suitable for the contact with liquid food products


| R+M Nr. | TYP | ↔ | DN | ∅ | P 20 °C | P 70 °C | BP 20 °C | °C |
|------------|-----|------------|----|------|---------|---------|-----------|------------------|
| 303 660 40 | 40 | 10 - 100 m | 12 | 21.6 | 100 bar | 45 bar | ≥ 250 bar | -10 °C - + 70 °C |
| 303 661 00 | 100 | 10 - 100 m | 12 | 21.6 | 40 bar | 18 bar | ≥ 200 bar | -10 °C - +100 °C |



| R+M Nr. | TYP | ↔ | DN | ∅ | P 20 °C | P 70 °C | BP 20 °C | °C |
|------------|-----|------------|----|------|---------|---------|-----------|------------------|
| 303 660 41 | 40 | 10 - 100 m | 12 | 21.6 | 100 bar | 45 bar | ≥ 250 bar | -10 °C - + 70 °C |




| R+M Nr. | TYP | ↔ | DN | ∅ | P 20 °C | P 70 °C | BP 20 °C | °C |
|------------|-----|------------|----|------|---------|---------|-----------|------------------|
| 303 660 42 | 40 | 10 - 100 m | 12 | 21.6 | 100 bar | 45 bar | ≥ 250 bar | -10 °C - + 70 °C |



| R+M Nr. | TYP | ↔ | DN | ∅ | P 20 °C | P 70 °C | BP 20 °C | °C |
|------------|-----|------------|----|------|---------|---------|-----------|------------------|
| 303 660 43 | 40 | 10 - 100 m | 12 | 21.6 | 100 bar | 45 bar | ≥ 250 bar | -10 °C - + 70 °C |

- » Food hose according to (EC)2002/72, (EU) 10/2011, (EG) 1935/2004 and (EG) 2023/2006. » **Twofold textile meshwork**
- » Especially designed for industrial foam cleaning applications » Suitable for: water and water mixes of usual cleaning detergents
- » Fivefold coated PVC hose with a flush surface

blufood®



Field of application: foam hose and pre-spraying hose for the food industry.
Suitable for the contact with liquid food products

| R+M Nr. | TYP | DN | ∅ | P 20 °C | P 70 °C | BP 20 °C | °C |
|-------------|---------|----|----|---------|---------|-----------|-----------------|
| 303 70 | blufood | 12 | 22 | 50 bar | 30 bar | ≥ 240 bar | -20 °C - +70 °C |
| 303 700 019 | blufood | 19 | 31 | 40 bar | 15 bar | ≥ 200 bar | -20 °C - +70 °C |

Symbols DN nominal diameter ∅ diameter TYP type P pressure BP burst pressure °C temperature ↔ length