
High pressure hoses & hose fittings

Crimp nipples





Crimp nipples





Crimp nipples with pipe pieces

R+M Nr. DN 317 521 6 6 Pluc

Brass. Swivel R+M Nr. DN 316 951 9 6

Zinc-plated steel. BEL - BES





200 000 092

ON	Ø	R+M Nr.
6	08	316 65
6	10	316 61
6	12	316 62
8	12	316 612 08
0	15	316 63

Crimp nipples premounted







317 520 6





DN

M22 F. Brass.





ST-44. Stainless steel. M22 F swivel

Stainless steel. M21 F swivel

M22 F. Brass. Crimp nipple zinc- steel. plated steel Type 01

M22 F. Stainless Screw nut stainless steel Type 02

1/2" F. Brass. Crimp nipple stainless steel. Type 01

Crimp nipple stainless steel. US-Version 14.88.

M22 F. 90°. Zinc-plated steel. M24 x 1.5 Type 01

R+M Nr.	DN
317 25	6
317 20	8
317 30	10

	R+M Nr.	DN
	317 26	6
1	317 21	8
	317 31	10

1	R+M Nr.	DN
	316 902 2	6
	317 002 2	8
	317 102 2	10

R+M Nr. DN 316 902 29 6 317 002 29 8 317 102 29 10

R+M Nr. DN 316 901 2 317 001 2 317 101 2 10

Type 05 R+M Nr. DN 317 606 6 317 608 8

10

Crimp nipples with swivel

317 610

R+M Nr.	DN	R+M Nr.
317 02	6	
317 01	8	
317 03	10	317 102

DN 49 10

Crimp nipples with quick screw coupling



ST-740.



 \neg » Hard PVC cover in yellow / black » Brass screw nut » Stainless steel swivel



QSC. M22. Crimp nipple zinc-plated steel



QSC. M22. Swivel. 1/4" M. Stainless Crimp nipple stainless steel



steel. Single ball bearing. Max. 275 bar / 120°C



3/8" M. Stainless steel. Single ball bearing. Max. 275 bar / 120°C



1/4" F. Stainless steel. Single ball bearing. Max. 275 bar / 120°C

M24 x 1.5	
R+M Nr.	DN
040 001 980	10

R+M Nr.	DN
200 088 516	6
200 088 518	8
200 088 520	10

R+M Nr. DN 200 088 506 6 200 088 508 8 200 088 510 10

R+M Nr. 108 320 31 6

R+M Nr.	DN	R+M Nr.
108 321 3	2 8	108 320

Crimp nipples with quick screw coupling for hose reels



QSC. M22. Screw nut brass. Crimp nipple stainless steel

R+M Nr.	DN
317 062 209	6
317 082 209	8



Crimp nipples

For quick screw. Zinc-plated steel. Type 01



R+M Nr. 100 001 942 6 100 001 940 8 100 001 944 10



For quick screw. Stainless steel. Type 02



R+M Nr.		DN
040 001	942	6
040 001 040 001	940	8
040 001	944	10
040 001	945	12



For quick screw. Zinc-plated steel. Type 01



DN

R+M Nr.	(DN)
317 00	8
317 10	10
317 10	10