


Chemical spray guns ST-510 & lances

Chemical spray guns ST-510 with lances



1000 - 2000 mm. Spray gun with telescopic lance made out of stainless steel and nozzle nut without nozzle. Spray gun with stainless steel V4A / AISI 316 ball being resistant to chemicals. Max. 25 bar / 30 l/min / 50 °C

| | | |
|-------------|--------|--------|
| R+M Nr. | | |
| 200 510 600 | 1/2" F | 1/2" F |



600 mm. Spray gun with lance made out of stainless steel and nozzle nut without nozzle. Spray gun with stainless steel V4A / AISI 316 ball being resistant to chemicals. Max. 25 bar / 30 l/min / 50 °C

| | | |
|-------------|--------|--------|
| R+M Nr. | | |
| 200 510 550 | 1/2" F | 1/2" F |



210 mm. Spray gun with lance made out of plastic and nozzle nut without nozzle. Spray gun with stainless steel V4A / AISI 316 ball being resistant to chemicals. Max. 25 bar / 30 l/min / 50 °C

| | | |
|-------------|--------|--------|
| R+M Nr. | | |
| 200 510 710 | 1/2" F | 1/2" F |



300 mm. Spray gun with lance made out of stainless steel and nozzle nut without nozzle. Spray gun with stainless steel V4A / AISI 316 ball being resistant to chemicals. Max. 25 bar / 30 l/min / 50 °C

| | | |
|-------------|--------|--------|
| R+M Nr. | | |
| 200 510 560 | 1/2" F | 1/2" F |

Chemical spray gun ST-510



Gun with stainless steel V4A / AISI 316 ball being resistant to chemicals. Max. 25 bar / 70 l/min / 50 °C

| | | |
|-------------|--------|--------|
| R+M Nr. | | |
| 200 510 500 | 1/2" F | 1/2" F |



600 mm. Spray gun with lance made out of plastic and nozzle nut without nozzle. Spray gun with stainless steel V4A / AISI 316 ball being resistant to chemicals. Max. 25 bar / 30 l/min / 50 °C

| | | |
|-------------|--------|--------|
| R+M Nr. | | |
| 200 510 700 | 1/2" F | 1/2" F |

Filter



Plastic. Max. 50 °C

| |
|---------|
| R+M Nr. |
| 500 04 |



600 mm. Spray gun with lance made out of plastic and nozzle nut without nozzle. Spray gun with acid-resistant ball. Max. 25 bar / 30 l/min / 50 °C

| | | |
|-------------|--------|--------|
| R+M Nr. | | |
| 200 510 705 | 1/2" F | 1/2" F |