

## Gun exit connections

### Connections for spray guns with coupling KW




Plug KW : 1/4" F. Stainless steel. SW 17. For lances with vented handle

|                |
|----------------|
| <b>R+M Nr.</b> |
| 040 003 080    |



Plug KW : 1/4" F. Stainless steel. SW 19. Plug for moulded handles

|                |
|----------------|
| <b>R+M Nr.</b> |
| 040 001 255    |




Plug KW : 1/4" F. SW 19. Polished stainless steel. For moulded handles. Plug for aluminium washer

|                |
|----------------|
| <b>R+M Nr.</b> |
| 040 001 248    |



Plug KW : 1/4" M. Polished stainless steel.

|                |
|----------------|
| <b>R+M Nr.</b> |
| 040 001 258    |



Aluminium washer for 1/4" F.  $\varnothing$  11 mm

|                |     |
|----------------|-----|
| <b>R+M Nr.</b> | VPE |
| 781 130 841    | 100 |



Plug KW : M21 M. stainless steel. Brass. Lances with quick screw coupling

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 101        |



Plug KW : M22 M. stainless steel. Brass. Lances with quick screw coupling

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 103        |



Plug KW : plug ST-45. stainless steel. Zinc-plated steel

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 102        |




Plug KW : M22 F. stainless steel. Brass

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 104        |



Plug KW : 1/4" M. stainless steel

|                |
|----------------|
| <b>R+M Nr.</b> |
| 040 001 256    |



Nozzle protector with plug KW. Without tip. Max. 400 bar / 150 °C


|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 105        |

### Coupling KW for spray guns



Coupling KW : 1/4" M. Brass

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 26         |



Coupling KW : 1/4" M. Stainless steel

|                |
|----------------|
| <b>R+M Nr.</b> |
| 202 700 350    |



Coupling KW : 1/4" M. Stainless steel

|                |
|----------------|
| <b>R+M Nr.</b> |
| 202 700 355    |

### Coupling KW with ST-52.1 Variopress



**new** Coupling KW : 1/4" M. Brass

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 264        |

### Bajonet adapter



1/4" F

|                |
|----------------|
| <b>R+M Nr.</b> |
| 200 000 440    |



M22 F long

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 980 500    |



HV M22 short

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 980 505    |



M22 M

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 980 510    |



Coupling KW : M21 F. Brass

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 261        |



Coupling KW : M22 F. Brass

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 262        |



Coupling KW : M22 M. Brass

|                |
|----------------|
| <b>R+M Nr.</b> |
| 559 263        |



Coupling KW : M22 F. Brass

|                |
|----------------|
| <b>R+M Nr.</b> |
| 202 300 488    |

### O-ring



O-ring for coupling KW

|                |
|----------------|
| <b>R+M Nr.</b> |
| 050 000 248    |

### Lip seals



Tool for assembly of lip seal

|                |
|----------------|
| <b>R+M Nr.</b> |
| 202 300 365    |



Lip seal for coupling KW

|                |
|----------------|
| <b>R+M Nr.</b> |
| 050 000 249    |