turbodevil - our new turbodevil floor cleaner series

turbodevil - agriculture cleaner Big Wheel



Front-mounted castor (30 mm) ideal on slatted floors. 2 large big wheels. 2 nozzles 1/4" M are required.

Max. 275 bar /1.800 l/h / 120 °C

R+M Nr.	Ø	œ	(<u>P</u>)
521 052 900	520 mm	1/4" IG	max. 275 bar

turbodevil – INDUSTRIAL

Surface cleaner TD 410 INDUSTRIAL



Surface cleaner with a newly developed swivel with pivoting inlet for high revolutions per minute. The bending of the swivel is variably adjustable thus making an easy cleaning of floors and walls possible. 3 industrial castors (60 mm). 2 nozzles 1/4" M are required. Max. 1,800 l/h / 120 °C

R+M Nr.	Ø	E	P
521 042 400	410 mm	1/4" F	max. 275 bar





- » Especially designed for industrial cleaning applications
- » For hot water use of up to 120 °C. 2.000 r.p.m. at 5 120 °C
- Heat-resistant all around protection ensuresa safe handling by protection against splashes and stones
- » The precision rotor arm is counterbalanced, precisely equilibrated and welded by robots
- » Low vibration and reliable running are guaranteed
- » Suitable for applications of up to 500 annual operation hours
- » Use of a especially high quality, 3-ball bearing swivel joint with ceramic sealing elements for high durability and extremely long stress
- » Castors are made out of stainless steel