

Accessories injectors

Return valves



Hose tail : M14 M. V2A. With o-ring

R+M Nr.
200 163 350



1/4" M : M14 M. V2A. With o-ring

R+M Nr.
200 163 356



O-rings

R+M Nr.	
050 000 264	2.9 x 1.78
050 000 300	10.82 x 1.78



Hose tail 9 mm : M14 M. V4A Extreme. Highest chemical resistance. With o-ring

R+M Nr.
200 163 351



1/4" M : M14 M. V4A Extreme. Highest chemical resistance. With o-ring

R+M Nr.
200 163 352



O-rings. Highest chemical resistance

R+M Nr.	
050 001 450	2.9 x 1.78
050 000 302	10.82 x 1.78

Ultra High Pressure Filter



Stainless steel with brass mesh holder and stainless steel strainer. Suitable as inlet water filter for ST-164.

Max. 400 bar / 100 °C

R+M Nr.		
200 163 100	M 22 M	3/8" M

Plug



M14 M. Compressed air connection (ST-160.2, ST-160.3, ST-167 and ST-168). Without o-ring

R+M Nr.
040 003 625



M18 M. Compressed air connection (ST-164). With o-ring

R+M Nr.
200 164 345

Check valves



1/4" M : M18 M. Compressed air module (ST-164). With o-ring

R+M Nr.
200 164 366

Compressed air module ST-164



1/4" F : M18 M. Compressed air module (ST-164) including water inlet pressure monitoring

R+M Nr.
200 164 370

Metering valves ST-161



Hose tail 9 mm : M14 M. Metering valve ST-161 suitable for being refitted in **easyfoam365+** injectors (ST-160, ST-164, ST-166, ST-167 & ST-168)

R+M Nr.	
200 161 500	blue (FKM)



Hose tail 9 mm : M14 M. Metering valve ST-161 suitable for being refitted in **easyfoam365+** injectors (ST-160, ST-164, ST-166, ST-167 & ST-168)

R+M Nr.	
200 161 515	grey (EPDM)



Hose tail 9 mm : hose tail 9 mm. Panel mount is possible

R+M Nr.	
200 161 510	blue (FKM)

Ring for suction marking



Plastic. Grey. For compressed air

R+M Nr.
020 005 108



Plastic. Red. For foaming agents

R+M Nr.
020 005 101



Plastic. Blue. For foaming agents

R+M Nr.
020 005 100



Plastic. Yellow. For disinfectant

R+M Nr.
020 005 105