
PUReClean 365+8 - 40 food hoses with automatic hose reel and ST-3225 - Food Special Set



In our online shop you will find further combinations of high-pressure hose reels with preassembled, high-pressure hoses!

Hose reel:

Frame made of stainless steel V2A / AISI 304. Drum made of particularly impact-resistant ABS plastic. With automatic spring return and strain relief. Equipped with the high-quality Suttner swivel joint ST-322

€	E	Ð	*
90 °C	1/2" F	1/2" F	A

Spray gun ST-3225:

Professional flat spray gun ST-3225 for the food industry with progressive closing system and coupling ST-3100

	· -		
Р	TYP	E	⊖
24,5 bar	with locking in opened position	1/2" IG	Kupplung ST-3100
60 bar	no locking in opened position	1/2" IG	Kupplung ST-3100


PUReClean365+® 40 - high pressure food hose:

- Conform to EG-regulation Nr. 1935/2004 nd Nr. 10/2011
- Field of application: foam hose and pre-spraying hose in the food industry. Suitable for contact with liquid food products
- Suitable for water and water mixes of usual cleaning detergents
- PVC hose with three layers and a smooth surface
- Increased 1-layer rot-proof textile mesh.
- About 20 % lighter and more flexible than comparable hose types

DN	P	↔
12	45 bar / 70 °C	24 m










R+M Nr.	Θ	Р
763 532 003	1/2" M	45 har





R+M Nr.	€	P
763 532 004	1/2" M	45 bar

PUReClean365+® red



R+M Nr.	Θ	P
763 532 002	1/2" M	45 bar



R+M Nr.	Pgun	P
763 532 005	24,5 bar	24,5 bar
763 532 009	60 bar	45 bar



R+M Nr.	Pgun	Р
763 532 006	24,5 bar	24,5 bar
763 532 010	60 bar	45 bar



R+M Nr.	Pgun	P
763 532 007	24,5 bar	24,5 bar
763 532 011	60 bar	45 bar



R+M Nr.	Pgun	Р
763 532 008	24,5 bar	24,5 bar
763 532 012	60 bar	45 bar

Symbols ★ marking ← inlet ← outlet DN nominal diameter P pressure → length 🖥 weight TYP type ← temperature 1 height