

## Hose guide system . zinc-plated steel . 30 mm profile

### Attachment trolleys



Weight max. 10 kg

R+M Nr.	outer $\varnothing$
107 308 07	8 - 15 mm
107 308 06	16 - 24 mm

### Twin hose trolleys



Weight max. 10 kg

R+M Nr.	outer $\varnothing$
107 308 012	8 - 15 mm
107 308 002	16 - 24 mm

### Hose trolleys



Weight max. 10 kg

R+M Nr.	outer $\varnothing$
107 308 01	8 - 15 mm
107 308 0	16 - 24 mm

### End clamps



Weight max. 10 kg

R+M Nr.	outer $\varnothing$
107 708 01	8 - 15 mm
107 708 0	16 - 24 mm

### Bumpers



R+M Nr.
107 408 0

## Hose guide system . stainless steel V2A / AISI 304 . 30 mm profile

### U-rails



R+M Nr.	length
107 008 09	6 m

### Mounting brackets



R+M Nr.	length
107 901 9 <b>1</b>	300 mm
107 902 8 <b>2</b>	VPE = 50

### Connecting rails



R+M Nr.
107 208 09

### Ceiling support brackets



Hole size 63 mm

R+M Nr.	length
107 608 09	40 mm

### Adjustable bracket in height + double wall angle



Angle length 100 mm

R+M Nr.	angle
107 808 19 <b>1</b>	angle
107 808 29 <b>2</b>	sleeve

### Attachment trolleys



Suitable for hoses up to 24 mm

R+M Nr.
107 308 069

### Hose trolleys



Suitable for hoses up to 24 mm

R+M Nr.
107 308 09

### Hose end clamps



Suitable for hoses up to 24 mm

R+M Nr.
107 708 09

### Bumpers



R+M Nr.
107 408 09

Symbols type packing unit length shipment by truck diameter