

**weeddevil – Our new device for weed control**

- » Ideal for professional service provider in the garden-, municipal and building cleaning industry
- » Completely made out of stainless steel
- » For hot water use of up to 120 °C, 0 - 350 bar
- » Suitable for low and high pressure applications
- » A working width of 400 mm
- » 1/4" nozzles have the ideal spraying angle of 65°

» swivelling application on sloping and vertical areas is possible

**Completely chemical-free!**



**weeddevil®**



ST-2605

**LTF**

Our spray gun ST-2605 with the patented LTF technology is recommended for effortless working.



4 nozzles 1/4" M NPT are required

**At the underside:** concentrated and well-directed hot water without any temperature loss by an optimally designed housing having a perfect cleaning distance.



**Useable at the left or right:** the handle at the side optimises the handling and protects within hot water applications.

4 nozzles 1/4" M are required. 2 robustly industrial castors (260 mm). Max. 120 °C

| R+M Nr.     | M             | castors | working- | G      | ⊖          | P            | °C     | ⊞      | I / ↔          |
|-------------|---------------|---------|----------|--------|------------|--------------|--------|--------|----------------|
| 200 097 700 | stainl. steel | 260 mm  | 400 mm   | 1/4" F | 4 x 1/4" F | max. 350 bar | 120 °C | 7.4 kg | 1,250 / 530 mm |

**Symbols** M material ⊗ diameter ⊕ inlet ⊖ outlet ↔ width I height °C temperature ⊞ weight