

Solar cleaning

In most cases, photovoltaic module surfaces cannot simply be cleaned with water and a sponge and it would simply be too dangerous, since the modules are often mounted on the roof at an angle of 30 to 45°. R+M / Suttner offers a solar cleaning set for this purpose: A generously dimensioned surface washing brush with double water flow on a telescopic lance enables you to effectively clean your solar modules and photovoltaic systems. No matter if industry, trade, agriculture or private buildings. The possible uses are unlimited, especially in locations that are exposed to heavy pollution. The solar cleaning set only needs to be connected to tap water.

- Safe and efficient cleaning of solar and photovoltaic systems
- Comfortable working in any position thanks to the stable, telescopic lance


Gentle cleaning of solar modules, since the washing brush works in the low-pressure range, damage to the modules is ruled out

- With the help of the telescopic rods, the brush can be guided easily and safely from the ground, roof or cherry picker
- The soft-grip handle with integrated ball valve enables the brush cleaning to be operated conveniently

Soiling of the surface means loss of performance and lower feed-in tariffs. The aluminum telescopic washing brush set pays for itself after a short time.

The mobile water softening unit prevents limescale residues on cleaned surfaces. In addition, special phosphates bind the lime components dissolved in the water.


Solar telescopic brush set for PV and solar systems



Aluminum telescopic wand with 5 clip fasteners and soft grip (570 mm). High-low shape washing brush with nylon hair on an adjustable angle joint, 12 m hose Ø 8 mm, ball valve and universal connection.

5" filter and filter insert polyphosphate with connection 3/8" coupling and tap connector.

R+M Nr.	Insulation				
526 001 425	Soft grip 570 mm	High-low washing brush	1.9 - 10 m	Universal coupling	5"



Aluminum telescopic wand with 5 clip fasteners and soft grip (570 mm). High-low shape washing brush with nylon hair on an adjustable angle joint, 12 m hose Ø 8 mm, ball valve and universal connection.

20" filter and filter insert polyphosphate with connection 3/8" coupling and tap connector.

R+M Nr.	Insulation				
526 001 420	Soft grip 570 mm	High-low washing brush	1.9 - 10 m	Universal coupling	20"

Spare parts filter inserts



Water softener. Polyphosphate

R+M Nr.			
734 58		5"	125
734 820 035		20"	510

