## Table de correspondances réf. origine / réf. R+M



Kärcher								
réf. origine	page	R+M Nr.	réf. origine	page	R+M Nr.	réf. origine	page	R+M Nr.
2.042-001.0	24	110 00	2.113-046.0	288	126 015 045	2.638-821.0	-	521 042 301
2.042-001.0	-	110 05	2.113-046.0	287	127 015 045	2.638-976.0	-	852 14
2.113-000.0	288	126 025 034	2.113-047.0	288	126 015 055	2.639-919.0	412	740 005
2.113-000.0	287	127 025 034	2.113-047.0	287	127 015 055	2.639-919.0	412	740 009
2.113-001.0	288	126 100 040	2.113-049.0	288	126 015 070	2.640-679.0	316	521 052 302
2.113-003.0	288	126 040 040	2.113-049.0	287	127 015 070	2.640-679.0	318	521 052 400
2.113-008.0	287	127 025 045	2.113-051.0	288	126 015 080	2.640-692.0	266	200 175 411
2.113-010.0	287	127 025 050	2.113-053.0	288	126 040 045	2.640-693.0	349	200 075 482
2.113-011.0	287	127 025 055	2.113-054.0	288	126 040 050	2.641-374.0	27	734 10
2.113-015.0	288	126 025 080	2.113-055.0	288	126 040 055	2.641-706.0	-	390 061 209
2.113-016.0	288	126 025 090	2.114-013.0	327	200 097 700	2.641-706.0	-	460 061 209
2.113-017.0	288	126 025 100	2.637-064.0	-	521 201	2.641-740.0	503	276 284 380
2.113-021.0	288	126 025 040	2.637-065.0	-	521 201	2.641-798.0	306	545 505 0
2.113-021.0	287	127 025 040	2.637-108.0	256	561 41	2.641-866.0	415	763 434 32
2.113-022.0	288	126 025 045	2.637-120.0	-	109 506	2.641-867.0	417	763 430 06
2.113-023.0	288	126 025 050	2.637-121.0	-	109 31	2.642-305.0	278	200 330 600
2.113-025.0	288	126 025 055	2.637-177.0	-	109 760 973	2.642-997.0	316	521 030 300
2.113-028.0	287	127 025 070	2.637-238.0	411	740 141	2.643-577.0	324	108 809 71
2.113-033.0	288	126 100 045	2.637-238.0	411	750 141	2.683-974.0	-	852 12
2.113-034.0	288	126 100 050	2.637-691.0	31	200 033 700	2.780-001.0	27	950 10
2.113-035.0	288	126 100 055	2.637-728.0	-	520 91	2.880-001.0	-	780 919 262
2.113-037.0	288	126 100 075	2.637-729.0	-	400 047 008	2.880-001.0	111	790 100
2.113-042.0	288	126 015 034	2.637-750.0	411	740 201	2.880-001.0	-	790 952 010 0
2.113-042.0	-	127 015 034	2.637-750.0	411	750 201	2.880-154.0	-	790 103
2.113-043.0	-	127 015 034	2.637-767.0	184	400 047 015	2.880-168.0	111	790 100
2.113-044.0	287	127 015 040	2.637-926.0	-	540 31	2.880-177.0	-	852 10
2.113-045.0	288	126 015 040	2.638-183.0	405	590 163	2.880-194.0	-	200 006 436
2.113-045.0	287	127 015 040	2.638-183.0	402	593 16	2.880-208.0	-	790 120