

Rotierende Waschbürsten

Bürsten ohne Gelenk



1/4" AG. Natur. Max. 50 bar / 50 °C

R+M Nr.
522 10



1/4" AG. Nylon. Max. 50 bar / 50 °C

R+M Nr.
522 30



M18 IG. Natur. Max. 50 bar / 50 °C

R+M Nr.
522 20



M18 IG. Nylon. Max. 50 bar / 50 °C

R+M Nr.
522 40

Bürsten mit Gelenk



1/4" IG. Natur. Max. 50 bar / 50 °C

R+M Nr.
522 50



1/4" IG. Nylon. Max. 50 bar / 50 °C

R+M Nr.
522 60



M18 IG. Natur. Max. 50 bar / 50 °C

R+M Nr.
523 001

Bürsten mit Gelenk und Strahlrohr



R+M Nr.		Rohr
522 504	M22 AG	430 mm

Einsätze



Natur

R+M Nr.
524 10



Nylon

R+M Nr.
524 20

Zubehör Flächenwäscher

Waschbürste mit Luftinjektor turbofoam365+



Nachrüstkit für Strahlrohre. Luftinjektor turbofoam365+ und Waschbürste mit Abdeckplatte. 20-150 bar. Max. 50 °C

Borstenlänge 60 mm

R+M Nr.			
500 023 101	1/4" IG	1,20	
500 023 102	1/4" IG	1,35	
500 023 105	1/4" IG	1,60	

Borstenlänge 90 mm

R+M Nr.			
500 023 201	1/4" IG	1,20	
500 023 202	1/4" IG	1,35	
500 023 205	1/4" IG	1,60	

Luftinjektoren



1/4" IG : 1/4" AG.
l/min bei 100 bar

R+M Nr.			
108 290 60	13 l/min	1,5	
108 290 20	34 l/min	2,5	

Bürstenhalter



Mit Schnappverschluss.
Funktioniert nur mit
Düsenmuffe 108 290 18

R+M Nr.	
108 290 15	1/4" AG

Düsenmuffen



Für Bürstenhalter 108 290 15

R+M Nr.			
108 290 18	1/8" IG		
108 290 19	1/4" IG		

Symbole Länge Eingang Ausgang Durchmesser Durchfluss Gewinde Nennweite